Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	370/395.2.ccls. and Pvc and DSL and DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/13 15:27
S2	142	Pvc and DSL and DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/13 15:28
S3	410	370/395.2.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/13 15:28
S4	13	370/395.2.ccls. and DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/13 15:27
S5	2	370/395.2.ccls. and auto-configur\$5	US-PGPUB; USPAT	OR	ON	2005/07/13 15:28
S6	9	Pvc and DSL and DSLAM and auto-configur\$5	US-PGPUB; USPAT	OR	ON	2005/07/13 15:35
S7	4	DSL and DSLAM and auto-configur\$5 with Pvc	US-PGPUB; USPAT	OR	ON	2005/07/13 15:48
S8	49	DSL and DSLAM and ((auto-configur\$5 or configur\$5) with Pvc)	US-PGPUB; USPAT	OR .	ON	2005/07/13 15:36
S9	992	DSL and DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/13 15:48
S10	142	DSL and DSLAM and pvc	US-PGPUB; USPAT	OR	ON	2005/07/13 16:09
511	29	DSL and DSLAM and pvc with request	US-PGPUB; USPAT	OR	ON	2005/07/13 15:49
512	1	DSL and DSLAM and pvc with hunt	US-PGPUB; USPAT	OR	ON	2005/07/13 16:09
513	6	pvc with hunt	US-PGPUB; USPAT	OR	ON	2005/07/13 16:10
S14	23	ILMI with Pvc	US-PGPUB; USPAT	OR	ON	2005/07/13 16:12
S15	901	prob\$3 with Pvc	US-PGPUB; USPAT	OR	ON	2005/07/13 16:12
S16	4	prob\$3 with Pvc and dslam and dsl	US-PGPUB; USPAT	OR	ON .	2005/07/13 16:13
S17	2	"6778505"	US-PGPUB; USPAT	OR	ON	2005/07/13 16:14
S18	5	"6122287 ["]	US-PGPUB; USPAT	OR	ON	2005/07/13 16:14
S19	1160	dslam	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:18
S20	2	pvc with ilmi with auto-configuration	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:19
S21	3	ilmi with auto-configuration	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:19

S22	3	ilmi with auto-configur\$5	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:19
S23	59	ilmi with configur\$5	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:29
S24	0	pvc with auth-configuration	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:29
S25	. 0	pvc with aut0-configuration	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:29
S26	2	pvc with auto-configuration	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:29
S27	1	pvc with multiple with ACL	US-PGPUB; USPAT	OR	OFF	2005/07/14 09:23
S28	0	pvc with multiple with ACS	US-PGPUB; USPAT	OR	OFF	2005/07/14 09:23
S29	4	pvc with multiple and ACS	US-PGPUB; USPAT	OR	OFF	2005/07/14 11:07
S30	943	pvc with (auto-configur\$5 or configur\$5)	US-PGPUB; USPAT	OR	OFF	2005/07/14 09:25
S31	54	pvc with (auto-configur\$5 or configur\$5) and DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/14 09:56
S32	1	ILMI with provision\$3	US-PGPUB; USPAT	OR	ON	2005/07/14 09:56
S33	5	ILMI with (DSL or ADSL)	US-PGPUB; USPAT	OR	ON	2005/07/14 09:57
S34	9	ILMI same(DSL or ADSL)	US-PGPUB; USPAT	OR	ON	2005/07/14 10:21
S35	23	ILMI with Pvc	US-PGPUB; USPAT	OR	ON	2005/07/14 12:00
S36	23	ILMI with Pvc	US-PGPUB; USPAT	OR	ON	2005/07/14 10:28
S37	679	(provision\$3 or configu\$5) with Pvc	US-PGPUB; USPAT	OR ;	ON .	2005/07/14 10:28
S38	42	(auto\$9 or dynamic\$4) with (provision\$3 or configu\$5) with Pvc	US-PGPUB; USPAT	OR	ON	2005/07/14 10:29
S39	22	(hunt or ILMI or Prob\$3) with (provision\$3 or auto-configur\$5 or configu\$5) with Pvc	US-PGPUB; USPAT	OR	ON	2005/07/14 10:36
S40	8	auto-configuration adj algorithm	US-PGPUB; USPAT	OR	ON	2005/07/14 11:08
S41	3	auto-configuration with pvc	US-PGPUB; USPAT	OR	ON	2005/07/14 11:09
S42	1	auto-configuration with pvc and verizon.asn.	US-PGPUB; USPAT	OR	ON	2005/07/14 11:09
S43	1	auto-configuration same pvc and verizon.asn.	US-PGPUB; USPAT	OR	ON	2005/07/14 11:09

S44	1	auto-configuration and pvc and verizon.asn.	US-PGPUB; USPAT	OR	ON	2005/07/14 11:09
S45	1	ILMI and pvc and verizon.asn.	US-PGPUB; USPAT	OR	ON	2005/07/14 11:10
S46	1	ILMI and verizon.asn.	US-PGPUB; USPAT	OR	ON	2005/07/14 11:12
S47	9	SNMP and pvc and verizon.asn.	US-PGPUB; USPAT	OR	ON	2005/07/14 11:53
S48	30	ILMI same Pvc	US-PGPUB; USPAT	OR	ON	2005/07/14 11:59
S49	. 31	ILMI same Pvc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 12:01
\$50	24	ILMI with Pvc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 12:00
S51	22	configuration with manager and ADSL and pvc	US-PGPUB; USPAT	OR	ON	2005/07/14 13:50
S52	16	detect\$3 with (DSL or ADSL or CPE) with DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/14 14:20
S53	1	detect\$3 with (NMS or manager) with connection with DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/14 14:21
S54	5	detect\$3 with connection with DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/14 14:23
S55	131	CPE with DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/14 15:19
S56	271	DSLAM and manager	US-PGPUB; USPAT	OR	ON	2005/07/14 15:22
S57	378012	DSLAM and manager or nms	US-PGPUB; USPAT	OR	ON	2005/07/14 15:19
S58	67	cisco.asn. and pvc	US-PGPUB; USPAT	OR	ON	2005/07/14 15:29
S59	12	pvc with configuration with manager	US-PGPUB; USPAT	OR	ON	2005/07/14·15:39
S60	321	pvc with provision\$3	US-PGPUB; USPAT	OR	ON	2005/07/14 15:39
S61	59	pvc with provision\$3 and ADSL	US-PGPUB; USPAT	OR	ON	2005/07/14 15:39
S62	109	pvc with provision\$3 and (ADSL or CPE or DSL)	US-PGPUB; USPAT	OR	ON	2005/07/14 15:48

			Ĺ			
S63	239	request\$3 with pvc	US-PGPUB; USPAT	OR	ON	2005/07/14 15:49
S64	76	request\$3 with pvc and (ADSL or DSLAM or DSL)	US-PGPUB; USPAT	OR	ON	2005/07/14 15:49
S65	12	("5311596" "5732137" "5867571" "5898830" "5918019" "5918022" "6028867" "6055239" "6097722" "6125119" "6222845" "6370152").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/14 16:03
S66	2	"auto-configure" with pvc	US-PGPUB; USPAT	OR	OFF	2005/07/15 08:46
S67	3	"auto-configure" same pvc	US-PGPUB; USPAT	OR	OFF	2005/07/15 08:49
S68	2	"AF-ILMI-0065"	US-PGPUB; USPAT	OR	OFF	2005/07/15 08:51
S69	61237	pvc autoconfiguration	US-PGPUB; USPAT	OR	OFF	2005/07/15 08:51
S70	0	pvc adj autoconfiguration	US-PGPUB; USPAT	OR	OFF	2005/07/15 08:51
S71	0	pvc with autoconfiguration	US-PGPUB; USPAT	OR	OFF	2005/07/15 08:51
S72	0	pvc with autoconfigur\$5	US-PGPUB; USPAT	OR .	OFF	2005/07/15 08:51
S73	1	ILMI with autoconfigur\$5	US-PGPUB; USPAT	OR	OFF	2005/07/15 08:52
S74	0	ILMI same autoconfigur\$5 same pvc	US-PGPUB; USPAT	OR	OFF	2005/07/15 08:52
S75	1	ILMI same autoconfigur\$5	US-PGPUB; USPAT	OR	OFF	2005/07/15 08:53
S76	22	ILMI same SNMP	US-PGPUB; USPAT	OR	OFF	2005/07/15 09:01
S77	2	"pvc hunting"	US-PGPUB; USPAT	OR	OFF	2005/07/15 09:37
S78	3	"auto-configuration" with ILMI	US-PGPUB; USPAT	OR	OFF	2005/07/15 09:37
S79	243	(ADSL or DSL or CPE) with (NM or manager or NMS)	US-PGPUB; USPAT	OR	OFF	2005/07/15 09:38
S80	253	(ADSL or DSL or CPE) with (NM or manager or NMS)	US-PGPUB; USPAT	OR	ON	2005/07/15 09:38
S81	4	(ADSL or DSL or CPE) with (NM or manager or NMS) and ILMI	US-PGPUB; USPAT	OR	ON	2005/07/15 09:39
S82	2	(ADSL or DSL or CPE) with (NM or NMS) and ILMI	US-PGPUB; USPAT	OR	ON	2005/07/15 09:39
S83	73	(ADSL or DSL or CPE) with (NM or NMS)	US-PGPUB; USPAT	OR	ON .	2005/07/15 09:42

5	# # # # # # # # # # # # # # # # # # #				
3	(ADSL or DSL or CPE) with "ACC"	US-PGPUB; USPAT	OR	ON	2005/07/15 09:42
11	configur\$5 with manager with pvc	US-PGPUB; USPAT	OR	OFF	2005/07/15 14:44
556	detect\$3 with pvc	US-PGPUB; USPAT	OR .	OFF	2005/07/15 14:44
3	detect\$3 with pvc with DSLAM	US-PGPUB; USPAT	OR	OFF	2005/07/15 14:45
9	connection with pvc with DSLAM	US-PGPUB; USPAT	OR	OFF	2005/07/15 14:48
3	auto with configuration and pvc with DSLAM	US-PGPUB; USPAT	OR	OFF	2005/07/15 14:49
52	auto with configuration and pvc	US-PGPUB; USPAT	OR	OFF	2005/07/15 14:53
15	auto with configuration and ILMI	US-PGPUB; USPAT	OR	ON	2005/07/15 14:50
171	· ILMI	US-PGPUB; USPAT	OR	OFF	2005/07/15 14:53
61	ILMI and pvc	US-PGPUB; USPAT	OR	OFF	2005/07/15 14:54
63	ILMI and pvc	US-PGPUB; USPAT	OR	ON	2005/07/15 15:27
13402	(auto-configuration or auto configuration or autoconfiguration) with instruction	US-PGPUB; USPAT	OR	ON	2005/07/15 15:27
8	(auto-configuration or (auto adj configuration) or autoconfiguration) with instruction	US-PGPUB; USPAT	OR	ON	2005/07/15 15:30
. 65	(auto-configuration or (auto adj configuration) or autoconfiguration) same instruction	US-PGPUB; USPAT	OR	ON	2005/07/15 15:30
1	(auto-configuration or (auto adj configuration) or autoconfiguration) same instruction same pvc	US-PGPUB; USPAT	OR	ON	2005/07/15 15:30
3	(auto-configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc	US-PGPUB; USPAT	OR .	ON	2005/07/15 15:31
43	(auto-configuration or (auto adj configuration) or autoconfiguration) and RAM with instruction	US-PGPUB; USPAT	OR	ON	2005/07/15 15:31
1	pvc with RAM with instruction	US-PGPUB; USPAT	OR	ON	2005/07/15 15:31
80	DSL with manager	US-PGPUB; USPAT	OR	ON	2005/07/18 15:11
10	DSL with manager with configur\$5	US-PGPUB; USPAT	OR	ON	2005/07/18 15:06
	556 3 9 3 52 15 171 61 63 13402 8 65 1 3 43 43	detect\$3 with pvc with DSLAM connection with pvc with DSLAM auto with configuration and pvc with DSLAM auto with configuration and pvc auto with configuration and ILMI ILMI ILMI ILMI and pvc ILMI and pvc ILMI and pvc (auto-configuration or auto configuration or autoconfiguration) with instruction (auto-configuration or (auto adj configuration) or autoconfiguration) with instruction (auto-configuration or (auto adj configuration) or autoconfiguration) same instruction (auto-configuration or (auto adj configuration) or autoconfiguration) same instruction same pvc (auto-configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc (auto-configuration or (auto adj configuration) or autoconfiguration) and configuration or autoconfiguration) and RAM with instruction DSL with manager	11 configur\$5 with manager with pvc US-PGPUB; USPAT 556 detect\$3 with pvc with DSLAM US-PGPUB; USPAT 3 detect\$3 with pvc with DSLAM US-PGPUB; USPAT 9 connection with pvc with DSLAM US-PGPUB; USPAT 3 auto with configuration and pvc with DSLAM US-PGPUB; USPAT 52 auto with configuration and pvc US-PGPUB; USPAT 15 auto with configuration and ILMI US-PGPUB; USPAT 171 ILMI US-PGPUB; USPAT 61 ILMI and pvc US-PGPUB; USPAT 63 ILMI and pvc US-PGPUB; USPAT 13402 (auto-configuration or auto configuration) with instruction 8 (auto-configuration or (auto adj configuration) or autoconfiguration) with instruction 65 (auto-configuration or (auto adj configuration) or autoconfiguration) same instruction ame pvc 1 (auto-configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc 43 (auto-configuration or (auto adj configuration) or autoconfiguration) ame instruction and pvc 43 (auto-configuration or (auto adj configuration) or autoconfiguration) and RAM with instruction 1 pvc with RAM with instruction US-PGPUB; USPAT 80 DSL with manager With configur\$5 US-PGPUB;	configur\$5 with manager with pvc detect\$3 with pvc detect\$3 with pvc with DSLAM detect\$3 with pvc with DSLAM connection with pvc with DSLAM configuration and pvc with DSLAM configuration and pvc with DSLAM configuration and pvc configuration and ILMI configuration and ILMI configuration and ILMI configuration or auto configuration or auto configuration or auto configuration or auto configuration or autoconfiguration) with instruction configuration or (auto adj configuration) or autoconfiguration) with instruction configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc configuration or (auto adj configuration) or autoconfiguration) same instruction and pvc configuration or (auto adj configuration) or autoconfiguration) configuration or (auto adj configuration or (auto ad	11 configur\$5 with manager with pvc 12

S10	7	DSL with manager with DSLAM	ÚS-PGPUB;	OR	ON	2005/07/18 15:13
4			USPAT		:	
S10 5	7	manager with ILMI	US-PGPUB; USPAT	OR	ON	2005/07/18 15:16
S10 6	1	manager with detect\$3 with DSL with DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/18 15:17
S10 7	12	detect\$3 with DSL with DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/18 15:26
S10 8	36	detect\$3 with (connection) with DSL	US-PGPUB; USPAT	OR	ON	2005/07/18 15:38
S10 9	15	detect\$3 with DSLAM with (DSL or ADSL)	US-PGPUB; USPAT	OR	ON	2005/07/18 15:39
S11 0	14881	370/395.2,395.3,395.1,397,399, 400,401,409410,389,465,468,351, 252,254,420.CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/19 09:47
S11 1	14881	370/395.2,395.3,395.1,397,399, 400,401,409410,389,465,468,351, 252,254,420.CCLS.	US-PGPUB; USPAT	OR	ON	2005/07/19 09:47
S11 2	15353	370/395.2,395.3,395.1,397,399, 400,401,409,410,389,465,468,351, 252,254,420.CCLS.	US-PGPUB; USPAT	OR	ON	2005/07/19 09:47
S11 3	214	370/395.2,395.3,395.1,397,399, 400,401,409,410,389,465,468,351, 252,254,420.CCLS. and DSL and DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/19 09:47
S11 4	1618005	370/395.2,395.3,395.1,397,399, 400,401,409,410,389,465,468,351, 252,254,420.CCLS. and DSL and DSLAM and "auto-configuration" or configur\$5	US-PGPUB; USPAT	OR	ON	2005/07/19 09:48
S11 5	194	370/395.2,395.3,395.1,397,399, 400,401,409,410,389,465,468,351, 252,254,420.CCLS. and DSL and DSLAM and ("auto-configuration" or configur\$5)	US-PGPUB; USPAT	OR	ON	2005/07/19 09:48
S11 6	194	370/395.2,395.3,395.1,397,399, 400,401,409,410,389,465,468,351, 252,254,420.CCLS. and DSL and DSLAM and ("auto-configuration" or configur\$5 or autoconfiguration)	US-PGPUB; USPAT	OR	ON	2005/07/19 09:48
S11 7	194	370/395.2,395.3,395.1,397,399, 400,401,409,410,389,465,468,351, 252,254,420.CCLS. and DSL and DSLAM and ("auto-configuration" or configur\$5 or autoconfigur\$5)	US-PGPUB; USPAT	OR	ON	2005/07/19 09:49
S11 8	63	709/220,227,223,224,218,229. CCLS. and DSL and DSLAM and ("auto-configuration" or configur\$5 or autoconfigur\$5)	US-PGPUB; USPAT	OR	ON	2005/07/19 09:49

S11 9	71	709/220,227,223,224,218,229. CCLS. and DSL and DSLAM	US-PGPUB; USPAT	OR	ON	2005/07/19 10:08
S12 0	13706	709/220,227,223,224,218,229. CCLS.	US-PGPUB; USPAT	OR	ON	2005/07/19 09:49